

SFIBRAL





Perfect Match


SFIBRAL panels for a functional rear ventilated facade excel with exceptional resistance, ensuring durability and aesthetic appeal in even harsh conditions.

SYSTEAL are innovative sub-structure systems, which provide secure support for suspended rear-ventilated facades "Made in Germany".

SFIBRAL
Betono akg. 16/16
LT-03153 Vilnius, Lithuania
info@sfibrall.com
www.sfibrall.com


 +370 686 44 054
(Mobile/WhatsApp/Viber)

 +49 176 30628338
(Mobile/WhatsApp/Viber)

 +966 562703022
(Mobile/WhatsApp/Viber)


Exterior products

SFIBRAL panels for a functional and efficient rear ventilated facade excel with exceptional resistance, ensuring durability and aesthetic appeal in even harsh conditions.




SFIBRAL Grey

Naturally hardened grey base fiber cement panel with a smooth matt opaque acrylic coating.




SFIBRAL Color

Naturally hardened through-colored fiber cement panel with a smooth opaque acrylic coating.




SFIBRAL Structure

Naturally hardened grey base fiber cement panel with a grained opaque acrylic coating.



SFIBRAL Spectrum

Naturally hardened grey base fiber cement panel with a smooth matt opaque acrylic coating.




SFIBRAL Linos

Through-colored autoclaved fiber cement panel with a natural fiber cement surface and grooved finish.

Sub-structure systems

SYSTEA sub-structures, as a connection between the supporting wall and cladding facade, are responsible for safe and secure support.




ALWI-S

Profile system for visible fixing of large-format fibre cement cladding panels

A substructure system based on ALWI-S is comprised of vertical L-shaped and T-shaped aluminium support profiles, wall brackets and optional accessories.

The fixing elements are fixed visibly to the support profiles using screws, bolts or rivets.




ALWI-V

Profile system for concealed fixing of sidings or large-format facade panels

A sub-structure system based on ALWI-V is comprised of vertical L-shaped and T-shaped aluminium support profiles, wall brackets and optional accessories.

The cladding elements are adhered to the support profiles, screwed on as concealed sidings or fixed with a system rail.



UBE

Profile system for concealed fixing of large-format facade panels

A sub-structure system based on UBE is comprised of vertical T-shaped aluminium carrier profiles, wall brackets, optional accessories and horizontal support rails. To suspend the cladding elements in places brackets are used, which are fixed and secured to the reverse of the cladding elements using special dowels or undercut rivets and anchors.

Fibre cement panels

Fibre cement panels are made from cement, water and various additives such as glass fibres.




Fibre cement panels

Due to the special composition of the building materials, the panels are very durable and robust. They are used for facades as well as for roofing or balconies.

Despite their strength, they are easy to work with and can be installed both horizontally and vertically using screws or rivets. Fibre cement panels are available in various formats, colours and textures, making them a popular material for the creative design of building facades. They also offer good protection against moisture and reduce maintenance requirements.

Sub-structure systems

SYSTEA sub-structures, as a connection between the supporting wall and cladding facade, are responsible for safe and secure support.



UBE

Profile system for concealed fixing of large-format facade panels

A sub-structure system based on UBE is comprised of vertical T-shaped aluminium carrier profiles, wall brackets, optional accessories and horizontal support rails. To suspend the cladding elements in places brackets are used, which are fixed and secured to the reverse of the cladding elements using special dowels or undercut rivets and anchors.

Terracotta panels

Terracotta panels are made from 100% natural materials, mainly clay mixed with water and fired at high temperatures.



Terracotta panels


These panels are used for facade cladding and can be combined with other materials such as glass to design sustainable and attractive buildings.

Known for their durability and aesthetic charm, terracotta cladding panels are a favored option for enhancing building exteriors, serving as an alternative to traditional exposed brickwork.

The surface of terracotta panels can be finished with either a glazed or unglazed look and is available in a variety of colours.

Sub-structure systems

SYSTEA sub-structures, as a connection between the supporting wall and cladding facade, are responsible for safe and secure support.



TC110

Profile system for concealed fixing of terracotta panels using clamp brackets.


A sub-structure system based on ALWI-V is comprised of vertical L-shaped and T-shaped aluminium support profiles, wall brackets and optional accessories. The cladding elements are adhered to the support profiles, screwed on as concealed sidings or fixed with a system rail.


A sub-structure system based on TC110 is comprised of vertical L-shaped and T-shaped aluminium support profiles, wall brackets and optional accessories. The cladding elements are fixed using bracket clamps or a system of rails and brackets clamps for these to the carrier profiles.


SFIBRAL



SFIBRAL
Betono aklg. 16/16
LT-03153 Vilnius, Lithuania
info@sfibral.com
www.sfibral.com

 +370 686 44 054
(Mobile/WhatsApp/Viber)

 +49 176 30628338
(Mobile/WhatsApp/Viber)

 +966 562703022
(Mobile/WhatsApp/Viber)